

EXECUTIVE FIELD GUIDE // SYSTEM VER 3.0

THE AI DATING SYSTEM

10 Executive AI Protocols to Audit Profile Architecture, Engineer High-Converting Prompts, and Systematically Scale Match Conversions.

SYSTEM OPERATIONAL BRIEFING

Engineered specifically for men navigating complex dating app algorithms. Eliminates trial-and-error guesswork. Replaces generic advice with precise LLM prompts, vision analysis, and conversion frameworks.

[STATUS] OPERATIONAL READY

[TARGET] ELO SCORE MAXIMIZATION

[TACTICS] 10 CORE + 30 VARIANTS

[EDITION] 2026 ULTRA-HIGH DEFINITION

THE ALGORITHMIC LANDSCAPE OF ONLINE DATING

Modern dating applications (Hinge, Tinder, Bumble) function as **algorithmic sorting engines**. They utilize internal desirability indices (Elo ratings and collaborative filtering) that grade your profile within the first 48 hours. If your lead photo swipe-through rate or conversation velocity falls below threshold, your profile is hidden at the bottom of the card stack.

THE THREE FRICTION POINTS

- Algorithmic Obscurity:** Lower initial swipe velocity demotes your card exposure by up to 80%.
- Interview-Style Stagnation:** 90% of chat threads stall out due to repetitive factual questioning ("How was your weekend?").
- Premature Ghosting:** Lack of emotional high points leads to rapid drop-offs before securing contact info.

THE AI TACTICAL SOLUTION

Artificial Intelligence removes subjective bias. By applying vision scoring models, prompt engineering, and conversational sentiment analysis, you replace guesswork with a data-driven system designed to boost swipe conversions and date closes.

THE WORKBOOK EXECUTION LOOP

This manual is structured as a **tactical operations guide**. For every protocol, execute this 3-step loop:

STEP 01

STUDY PROTOCOL

Understand the underlying pain point, metric target, and AI mechanism.

STEP 02

SELECT VARIANT

Choose the prompt variant matching your specific target app, age group, or scenario.

STEP 03

DEPLOY & OPTIMIZE

Execute prompt, paste output directly into your app, and track swipe/reply metrics.

APP ARCHITECTURE MATRIX

APP PLATFORM	PRIMARY ALGORITHM WEIGHT	OPTIMIZATION FOCUS
HINGE	Prompt replies & comment swipe rates	Protocol 03 (Bio) & Protocol 04 (Vision Openers)
TINDER	Lead photo instant swipe-through (200ms)	Protocol 01 (Photo Scoring) & Protocol 02 (Realism)
BUMBLE	Bio intrigue & initial response rate within 24h	Protocol 03 (Bio) & Protocol 06 (Vibe Balance)

SYSTEM DIRECTIVE: Never deploy raw, un-edited AI outputs if they sound robotic. Always run a 5-second human polish to maintain your natural voice while preserving the structural framework.

01 AI PHOTO SCORING & SELECTION

Pain Point: Men consistently pick photos where they feel "cool" rather than photos that project high social status, warmth, and eye contact. Blind photo selection leads to immediate left-swipes.

Solution: Use vision scoring algorithms (e.g. Fotto.AI / Photofeeler AI models) to grade your photo stack on objective metrics (Lighting, Confidence, Attractiveness, Trustworthiness) from 1 to 100.

Metric	Target Score	Optimization Criteria
Lighting & Clarity	> 85 / 100	Natural daylight, high eye contrast, crisp focal detail, zero grain.
Confidence Index	> 80 / 100	Direct eye contact, relaxed jaw line, posture erect, non-forced smile.
Social Trust	> 75 / 100	No sunglasses obscuring eyes, clean non-cluttered background, no group confusion.

BASE PROMPT // PHOTO SCORE DIAGNOSTIC

PRIMARY

Act as an elite dating profile visual consultant. I am uploading 5 photos of myself. Grade each photo on a scale of 1-100 across three metrics: (1) Instant Attractiveness, (2) Approachability/Trust, and (3) Perceived Status/Lifestyle. Identify the single highest-scoring photo for Position 1, and explain specifically why the lowest-scoring photo should be deleted.

DEPLOYMENT VARIANTS BY PHOTO TYPE

VARIANT A // LEAD PORTRAIT AUDIT

"Analyze Photo #1 specifically as a Lead Portrait. Check for: Eye clarity ratio, jawline definition, facial symmetry score, and background distraction level. Provide 2 visual adjustments."

VARIANT B // LIFESTYLE & SOCIAL PROOF

"Evaluate Photo #2 (Action/Hobby shot). Does it project high social value and intriguing lifestyle without looking staged? Rate perceived social status from 1-10."

VARIANT C PROMPT // PHOTO STACK ORDERING

FULL PROFILE

I am uploading my full 6-photo lineup. Re-order these photos from Position 1 to 6 to create the optimal emotional arc:

- Pos 1: High-Trust Portrait (Direct eye contact)
- Pos 2: Active Lifestyle / Passion Shot
- Pos 3: Social Proof / Environmental Context
- Pos 4: Full Body Fit Check
- Pos 5: Humor / Candid Moment
- Pos 6: Intriguing Conversation Starter

02

AI REALISTIC PHOTO GENERATION

Pain Point: High-end lifestyle photography is expensive and time-consuming. Standard AI avatar generators create smooth, plastic "Uncanny Valley" images that trigger immediate app bans and user distrust.

Solution: Utilize realistic image generation models (e.g. TruShot AI / Midjourney v6 parameters) with micro-pore texture, natural ambient lighting, and realistic camera optics to craft app-ready lifestyle photos from basic selfies.

BASE PROMPT // NATURAL REALISM ENGINE

PRIMARY

A realistic candid photo of a 28-year-old man sitting at an outdoor cafe in Barcelona, wearing a dark navy fitted linen shirt.
[Insert reference selfie].
Camera: Shot on 35mm lens, f/2.8 depth of field.
Skin details: Visible pores, natural skin texture, soft facial hair stubble, authentic ambient sunlight.
STRICT NEGATIVE PROMPT: plastic skin, airbrushed, glossy skin, anime, 3D render, over-processed, smooth cheeks.

SCENARIO PROMPT VARIANTS

VARIANT A // ATHLETIC & OUTDOOR

"Candid photo of [Reference Selfie] hiking in Pacific Northwest during golden hour. Wearing dark charcoal outdoor jacket. Natural wind-blown hair, subtle sweat sheen, crisp depth of field. 50mm lens."

VARIANT B // EVENING LOUNGE / COCKTAIL

"Medium shot of [Reference Selfie] holding a highball glass in a dimly lit cocktail lounge. Warm ambient tungsten light, sharp jaw reflection, subtle smile, wearing tailored black blazer."

VARIANT C PROMPT // PET & ENVIRONMENT INTEGRATION

HIGH SOCIAL VALUE

A high-resolution candid photograph of [Reference Selfie] laughing while walking a golden retriever in a city park during early morning autumn light.
Outfit: Earth-tone sweater, dark denim.
Lens: 85mm portrait lens, natural background bokeh, authentic skin texture with natural imperfections.

REALISM CHECK: Always inspect rendered images at 200% zoom. Verify hand digit count, ear structure symmetry, and iris reflections before uploading to dating platforms.

03 AI PROFILE & BIO AUDITING

Pain Point: Most bios are generic lists of basic hobbies ("Tacos, gym, traveling, dog mom") or self-deprecating jokes. They fail to communicate unique value or give a woman an easy hook to start a conversation.

Solution: Apply LLM bio optimization frameworks to write a 3-part bio: (1) High-value lifestyle hook, (2) Playful polarization, and (3) Low-friction conversational call-to-action.

BASE PROMPT // BIO OPTIMIZER & AUDITOR

PRIMARY

You are an expert copywriter specializing in high-converting dating profiles for men.
Audit my current draft bio: "[INSERT DRAFT BIO]".
Rewrite it into a 300-character profile following this exact layout:
Line 1: A subtle, non-arrogant display of ambition or lifestyle.
Line 2: A playful/polarizing "hot take" or preference.
Line 3: An intriguing, open-ended question that makes it effortless for a woman to message first.
Rules: Zero self-deprecation. Zero generic hobbies. Keep tone relaxed, confident, and humorous.

ARCHETYPE PROMPT VARIANTS

VARIANT A // THE WITTY STORYTELLER

"Rewrite my bio focusing on humor and witty narrative. Emphasize my interest in [Hobby] with a sarcastic, self-assured tone that invites playful debate."

VARIANT B // THE AMBITIOUS ADVENTURER

"Craft a bio highlighting my passion for travel and entrepreneurship. Frame it with high energy, subtle luxury hooks, and an open travel prompt."

VARIANT C PROMPT // HINGE PROMPT OPTIMIZER

HINGE SPECIALIZED

Generate 3 distinct Hinge prompt answers for these prompts:
1. "Together, we could..." (Focus on a fun experiential date idea)
2. "Unpopular opinion..." (Focus on a harmless but funny debate topic)
3. "The key to my heart is..." (Focus on high-value lifestyle detail)
Constraints: Short, crisp, zero cliché phrases, high reply-hook potential.

04

AI-POWERED CONTEXTUAL OPENERS

Pain Point: Standard openers ("Hey", "How's your week going?", "You have a great smile") have a response rate below 8%. Women filter out generic compliments instantly.

Solution: Use multimodal AI Vision models to scan a match's profile screenshots, extract micro-details (e.g. background book titles, obscure pets, unusual cocktail garnishes), and construct personalized openers.

BASE PROMPT // VISION OPENER GENERATOR

PRIMARY

[Attach Screenshot of Match's Profile]
Analyze this profile image. Spot 3 unique background details, activities, or text responses.
Generate 3 distinct opening lines:
Option A: Playful banter/observational tease based on a visual element.
Option B: Light debate question regarding an activity in her photos.
Option C: Short, witty, intrigue-based statement under 12 words.

CONTEXTUAL OPENER VARIANTS

GENERIC OPENER (FAIL)

"Hey Jessica, cool dog! What breed is he?"

Result: 1-word answer or ignored.

AI VISION OPENER (WIN)

"Be honest... did your dog actually agree to wear that rain jacket or did you have to bribe him with treats?"

Result: Instant laugh + emotional reply.

VARIANT B PROMPT // LOCATION & TRAVEL ANOMALY

TRAVEL SCREENSHOT

[Attach Travel Photo Screenshot]
Identify the likely location or vibe in this travel photo.
Write a 1-line opener asking a witty "either/or" question about the trip that establishes me as someone who also travels frequently.

VARIANT C PROMPT // BIO PROMPT TEASE

TEXT ANSWER SCREENSHOT

[Attach Hinge Bio Prompt Screenshot]
She wrote: "[INSERT PROMPT RESPONSE]".
Generate a short, playful counter-argument or witty tease that challenges her response without being offensive. Max 14 words.

05

AI CONVERSATIONAL PIVOT PROMPTS

Pain Point: Chats stall when they turn into factual Q&A sessions ("What do you do?", "Where do you live?", "How long have you been in the city?"). Factual Q&A kills sexual tension and attraction.

Solution: Input stale chat transcripts into an LLM reframing engine to generate playful pivots that steer the thread into lighthearted teasing, hypothetical scenarios, or fun roleplay.

BASE PROMPT // BANTER PIVOT REFRAMER

PRIMARY

Here is a transcript of my current dating app chat:
"[PASTE CHAT LOG]"

The current tone is too factual and like a job interview.
Generate 3 witty pivot responses that break the pattern and introduce flirtatious banter, a funny hypothetical dilemma, or a mock-rivalry scenario.
Keep the language natural, concise (under 15 words), and easy for her to build upon.

PIVOT SCENARIO VARIANTS

VARIANT A // WORK-TO-PLAY PIVOT

"She just asked what I do for work. Instead of a plain job title, give me a witty response that frames my job as something fun or mysterious, followed by a playful pivot question back to her."

VARIANT B // MOCK-RIVALRY / DEBATE PIVOT

"We are talking about favorite food/city spots. Generate a lighthearted 'dealbreaker' statement that jokingly calls out her choice in a fun, non-insulting way."

VARIANT C PROMPT // HYPOTHETICAL ESCAPE PIVOT

STAGNANT THREAD

The chat has gone quiet after basic small talk.
Provide a completely out-of-the-blue, fun hypothetical question (e.g. zombie apocalypse strategy, spontaneous weekend getaway rules) that restarts the conversation with high energy.

06

AI "VIBE CHECK" & REPLY GENERATION

Pain Point: Men often over-invest by sending long paragraphs and multiple questions to matches who reply with low-effort 3-word answers. Over-investing signals low social value and kills interest.

Solution: Run your chat logs through an AI investment diagnostic to calculate text character ratios and cadence. Use reply generation prompts to match her length while giving her a hook to invest back.

BASE PROMPT // INVESTMENT BALANCER

PRIMARY

Analyze this chat snippet: "[INSERT CHAT]".

Her investment level is currently LOW (short responses, no questions asked back).

Generate 2 short reply options that match her low character count, but contain a playful "probe" or joke that obligates her to take a stance or ask a question if she wants to keep talking.

REPLY BALANCE VARIANTS

VARIANT A // THE PLAYFUL CALL-OUT

"She replied with just 'Haha yeah true'. Generate a witty 5-word response calling out her short answer in a funny, non-bitter way."

VARIANT B // THE TEASING DISQUALIFIER

"Craft a short reply jokingly questioning if we are compatible based on her last answer, prompting her to defend her take."

VARIANT C PROMPT // LOW-FRICTION QUERY

EFFORT RESET

Generate a short 10-word text that drops the previous topic entirely, makes a quick funny observation, and asks a simple binary (this-or-that) question to make replying effortless for her.

GOLDEN RULE OF CADENCE: If her average reply time is 2 hours, do not reply in 30 seconds. Match or exceed her delay slightly to maintain healthy social tension.

07

AI ESCALATION & SENTIMENT ANALYSIS

Pain Point: Hesitating too long to transition off-app leads to match fatigue, while asking for a phone number or date too early causes her to pull back.

Solution: Use LLM sentiment analysis to score emotional interest (1-100) based on reply speed, emoji density, teasing, and self-disclosure. Trigger date proposals strictly at peak sentiment scores (>70).

SENTIMENT SCORE	TEXTING INDICATORS	ACTION REQUIRED
0 - 40 (Low)	Delays > 12h, 1-word answers, zero emojis	Do NOT escalate. Run Protocol 06 (Vibe Check).
41 - 70 (Moderate)	Friendly replies, shares stories, casual banter	Build 2 turns of shared interest, then test escalation.
71 - 100 (Peak Interest)	Teasing, quick replies, exclamation points, lol/haha	EXECUTE DATE ESCALATION IMMEDIATELY.

BASE PROMPT // ESCALATION TRIGGER ENGINE

PRIMARY

Read this chat thread: "[INSERT CHAT TRANSCRIPT]".
Evaluate sentiment score from 1-100.
If score is >70, craft a low-pressure date proposal tying back to a topic discussed earlier.
Structure: "We're clearly getting along too well on here. Let's grab [Coffee/Drinks] at [Specific Venue/Style] this [Day]. Are you free Thursday or Friday?"

ESCALATION ANGLE VARIANTS

VARIANT A // CASUAL COFFEE / DRINKS

"Generate a low-key date invite for midweek drinks or coffee that presents a specific venue and 2 day options."

VARIANT B // ACTIVITY / EXPERIENTIAL DATE

"We both love [Hobby/Food]. Frame a date invite around trying a specific dessert/activity spot together this week."

VARIANT C PROMPT // PHONE / VOICE NOTE TRANSITION

NUMBER CLOSE

Craft a smooth 1-line text asking for her phone number or suggesting a quick 5-minute voice call before planning the date.

08

AI RE-ENGAGEMENT SCRIPTS

Pain Point: Matches often drop off due to life distractions. Sending "Hey stranger" or double-texting "Did you forget about me?" sounds needy and guarantees you get unmatched.

Solution: Deploy AI-generated, low-pressure, absurd or observational re-activation texts designed to reignite silence without placing pressure or guilt on her.

BASE PROMPT // REVIVAL SCRIPT GENERATOR

PRIMARY

I haven't messaged this match in 5 days after our last chat about [TOPIC/FOOD/TRAVEL].

Generate 3 re-engagement options:

1. The "Absurd Accusation": A light joke about what she's been doing.
2. The "Callback Meme/Observation": A reference to something funny related to our earlier topic.
3. The "Zero-Pressure Ping": A 5-word statement that requires no lengthy response.

RE-ENGAGEMENT TIMING VARIANTS

VARIANT A // 24-HOUR SILENCE REVIVAL

"She stopped replying mid-banter yesterday. Give me a funny 1-line callback to our joke from yesterday that re-opens the thread naturally."

VARIANT B // 7-DAY COLD THREAD RESURRECTION

"Thread went silent a week ago. Generate an amusing 'random thought' observation related to [City/Food] that doesn't mention the gap in texting."

VARIANT C PROMPT // POST-FLAKE RE-SCHEDULE

FLAKE RECOVERY

She had to reschedule our date last minute due to work/illness.

Write a calm, high-value response accepting her raincheck without sounding annoyed, while leaving the door open for her to suggest the new day.

09

AI CHAT AUTOPSY

Pain Point: Repeating the same hidden texting errors (over-explaining, validating too early, missing subtle cues) leads to ongoing failure without understanding the root cause.

Solution: Conduct a systematic Chat Autopsy by feeding failed chat transcripts into an LLM to pinpoint the exact line where momentum dropped and extract lessons for your next matches.

BASE PROMPT // FAILED CHAT AUTOPSY

PRIMARY

Act as a brutally honest texting coach. Here is a failed dating chat transcript:
"[PASTE FULL CHAT LOG]"

Perform a Chat Autopsy:

1. Identify the exact line where her engagement dropped (The Turn).
2. List 2 tactical mistakes I made (e.g., needy tone, over-texting, missing an escalation cue).
3. Provide the exact alternative response I should have sent at that moment.

FAILURE CASE STUDY VARIANTS

CASE STUDY A // THE OVER-EXPLAINER

"Analyze if my answers were too long or contained unnecessary detail that killed conversation momentum."

CASE STUDY B // THE NEEDY VALIDATOR

"Check if I gave excessive compliments or sought validation before establishing mutual interest."

VARIANT C PROMPT // MISSED ESCALATION WINDOW

TIMING DIAGNOSIS

Review this transcript to identify if I missed an obvious high-interest window where she was expecting me to ask for her number or date. Point out the exact line number.

AUTOPSY DIRECTIVE: Keep a running list of your top 3 texting blind spots in a phone note. Review it before texting any high-priority match.

10

AI BOT & SCAMMER PATTERN RECOGNITION

Pain Point: Fake profiles, automated promo bots, and financial scammers pollute dating apps, wasting your time, energy, and potentially risking financial or data security.

Solution: Combine reverse vision lookup tools with NLP text pattern recognition prompts to rapidly verify authentic profiles and filter out automated bots.

BASE PROMPT // PROFILE SCAMMER AUDITOR

PRIMARY

[Upload suspicious profile photo/text]

Analyze this profile text and photo. Assess the probability (0-100%) that this is a fake profile, stock photography, or an automated bot. List red flags in structural language, image artifacts, or third-party handle pushes.

VERIFICATION TEST VARIANTS

BOT RED FLAGS

- Pushes to move chat to WhatsApp/Telegram in < 2 messages.
- Bio contains only an Instagram handle or financial keywords.
- Overly formal syntax or generic romantic compliments.

LOGIC TRAP TEST

Send an un-scrappable contextual question: "Quick check to prove you're real: What's the third letter of your favorite color?" Bots break on non-standard logic puzzles.

VARIANT B PROMPT // WHATSAPP PUSH COUNTER

OFF-APP DEFENSE

She asked to move to WhatsApp/Telegram immediately.

Write a short, light response keeping the chat on-app until after a first date is scheduled.

VARIANT C PROMPT // PHOTO VERIFICATION AUDIT

IMAGE REVERSE SEARCH

Inspect photo for AI generation artifacts: check earlobes, background symmetry, pupil shapes, and hair boundaries. Provide risk score from 1 to 10.

THE MASTER AI DATING EXECUTION MATRIX

To maximize your conversion rate, execute all 10 protocols in sequence. Print or reference this master checklist weekly to audit your profile performance and conversation health.

PROTOCOL	TARGET GOAL	FREQUENCY	STATUS
01. Photo Scoring	Score > 85/100 on Fotto/Photofeeler	Monthly / New Photos	[] READY
02. Photo Realism	Generate 2 natural lifestyle photos	Quarterly	[] READY
03. Bio Optimization	Audit bio for value hooks & intrigue	Monthly	[] READY
04. Vision Openers	Run Vision prompt on new matches	Per Match	[] READY
05. Banter Reframing	Pivot out of interview-style chats	Active Chats	[] READY
06. Vibe Balance	Mirror length & effort ratio	Active Chats	[] READY
07. Sentiment Close	Invite on date when score > 70	Peak Interest	[] READY
08. Match Revival	Send low-pressure ping after 4 days	As Needed	[] READY
09. Chat Autopsy	Diagnose stalled chats to learn error	Post-Stall	[] READY
10. Bot Detection	Filter scammers with logic puzzles	Instant Filter	[] READY

EXECUTIVE SUMMARY & CORE PHILOSOPHY

Artificial Intelligence is your unfair leverage to cut through algorithmic noise, eliminate low-effort messaging, and optimize your dating profile like a high-converting digital product. However, AI is the vehicle—not the driver. Once you step out on the date, authentic human connection, active listening, and personal character determine your ultimate success.

// END OF EXECUTIVE FIELD GUIDE — EXECUTE ALL PROTOCOLS //